25

intake overestimating internal dose approach. That was the approach used in this case was the hypothetical intake that's defined in Technical Information Bulletin Number Two, and a part of that is to use the dose that a high non-metabolic organ or the colon -- you know, it shows fairly, it's described there. It points in fact lower large intestine is probably a better surrogate for the rectum. There is a target for that. It is nominally slightly higher than the colon. Given the nature that the intake was hypothetical in the first place, this kind of standard practice on that hypothetical intake to select the colon as the most, you know, the highest non-That's what we're doing. metabolic. DR. H. BEHLING: This is Hans Behling. agreed that the mistake resulted in nothing of any great significance and was just a technical issue with no significant impact on dose. Issue Five?

MR. GRIFFON: Can I -- Just one small thing on on your report, Hans, Page 10 just for clarification, Page 10, Table 1.2 in your

DR. H. BEHLING: I don't have it available. 2 MR. GRIFFON: You don't have it? Just a 3 small table here that shows that NIOSH 4 intentionally overestimated a dose and it's 5 fine, but just the way it's laid out I think 6 is a little confusing. It says, "NIOSH dose 7 in rem is 8.68," and then the other side, 8 9 the other column says, "Dose from the lung scan is .827." And when you read the text 10 11 it makes sense, but that to me it wasn't 12 dose from the lung scan, it wasn't a CT --13 you know, it's dose derived (unintelligible) 14 the lung scan and -- It's Table 1.2 -- but 15 it's still the dose to the lower large 16 intestine (unintelligible) derived from the 17 lung scan (unintelligible). When I first 18 saw that I didn't know what --19 DR. H. BEHLING: Yeah, I'm not sure what 20 that is. I'll have to look at it myself. 21 MR. GRIFFON: (Unintelligible) If you're 22 like me sometimes you skim tables first, 23 then you know anyway --24 MR. HINNEFELD: I think the reviewer, I 25 think this person had a bioassay or in vivo,

original report on this case.

1

a chest in vivo record and the and the -- if I recall correctly the reviewer evaluated the result of that lung in vivo count with that, what's left of the technical, against what would have been there had the -
MR. GRIFFON: Yeah, the results I don't dispute. The (unintelligible) for the lung count would have been you know (unintelligible) by NIOSH, so it's an overestimate --

MR. HINNEFELD: Right, right.

MR. GRIFFON: But it was just a little confusing, that's all.

MR. HINNEFELD: Right, yeah, okay.

Issue Number Five on Case 16 is that missed neutron dose, possibly amounting to about half a rem, was not included in the dose reconstruction. Our comment here is that an explanation of what happened, but I think it's probably a valid comment at Rocky Flats, it's probably a valid comment that you know if you've got neutron zeroes, thereby it might be something you would expect to do if you have neutron zeroes you would probably want to do a neutron missed

dose. There were, you know, as we've talked about earlier, there were a number of other overestimating approaches, like if a photon missed dose has too many zeroes and things like that, but despite that we try not to say well we overestimated once, so we're not going to worry about that. We try not to take that as a normal practice. So I think the comment here is probably an appropriate comment. We don't have really any -- SC&A's comment we feel like SC&A's issue is well-founded and we don't have any real particular conversation on it.

DR. H. BEHLING: And the only reason I brought it up, Wanda, if you go to Slide 16.5 at the bottom, this is from ORAU (unintelligible) 0006, less than 50 percent probability is the attachment D that gives instructions, and it's just a statement here under discussion that says we need to perform cases that are well below 50 percent. We need to maximize assumptions, and the last statement that says unlike approach for greater than 50 percent POC cases, this process does not allow

1	(unintelligible) dose reconstruction as all
2	potential source of radiation must be
3	valued. It's just a statement that says,
4	you know, don't ignore something even if you
5	know very well it's not going to
6	significantly impact any POC calculation,
7	but again the instructions say let's be
8	exhaustive in assigning doses, be generous
9	in claimant favorability, et cetera, and in
10	this case missed neutron dose was not added,
11	again, it's just for the optics, for the
12	person who may look at this and say you know
13	what, they took, they didn't give me credit
14	for a missed neutron dose.
15	MS. MUNN: Yeah, right.
16	DR. H. BEHLING: That's all it is. That's
17	all it is.
18	MR. HINNEFELD: And this person had neutron
19	badge zeroes in their record as
20	DR. H. BEHLING: Yeah, yeah, strictly an
21	issue of optics.
22	Okay, I think that completes Case 17
23	MR. HINNEFELD: Sixteen.
24	DR. H. BEHLING: Oh, 16, sorry.
25	PRESENTATION/DISCUSSION OF ISSUES FOR CASE #17

DR. H. BEHLING: We're next on Claim Number
17, and this involves a claim involving a
worker at the Fernald facility. He was
there from so approximately a

He worked in

. as

and

The person has been diagnosed with two basal cell carcinoma, and on the basis of the assigned dose, he was given a probability of causation of 54 percent, so this is a partial dose reconstruction that focused purely on what is obviously of critical importance here, external skin dose at seven millirems, whatever, as an assessment for the probability of causation. No internal was even attempted because of the nature of the skin cancer, and I really have just a couple of comments which will fit into that, Stu, if you will introduce the issue.

MR. HINNEFELD: All right, Issue Number One is that in the dose reconstruction the employee had a relatively high level of shallow dose in his record as reported by the Department of Energy. And so the dose reconstruction, realizing that shallow --

25

the dose in the open window of the film badge would be partially due to beta particles in the uranium plant and partially due to photons, penetrate photons, decided that they would just do -- start the dose reconstruction since it's just partial by only considering the electron, the beta So they made a subtraction of dose. essentially the deep -- the recorded gamma They subtracted that value from the dose. shallow dose that was part of the DOE's records. And the reviewer took issue with that subtraction, feeling that that was not a correct adjustment to make. I think from our, from the dose reconstructor's standpoint that allowed him to not have to apportion any of the shallow dose that was recorded in the record to a photon dose, which a portion of it would have been. So it allowed him to essentially uncouple the photon from the beta particle dose and then only enter the beta particle dose in the dose reconstruction. The probability of causation was greater than 50 percent, and he was done at that point, so

that was the reason for doing the subtraction.

DR. H. BEHLING: Okay, for my point of view I would ask you to go to Slide 17.1, and it gives you on the same note what this person did. As you will see in the second column, you have the DOE reported deep dose equivalent, which turns out to be for the full number of years, 4.5 rem, and then in the third column you have DOE reported shallow dose equivalent which turns out to be 28.2 for 8 rem. And what this person did -- I heard the point of efficiency, a partial, you know when you get to the point where it's greater than 50 you try to eliminate any unnecessary step in order to arrive at a conclusion that says we're going to compensate, there's no need to go further. And what he in essence did was introduce a step that he could have avoided, and simply say what is a valid dose that could contribute to a skin dose, and that includes both beta and low entry photons, so why don't we just stick with the -- DOE reported shallow dose -- and be done with it

1

2

3

25

because that would have been the simplest thing. Say let's do a 28 rem skin dose and on a basis of that assign a POC that says we're done. So what was described as an efficiency process is an extra step that didn't need to be done, so I take exception to the issue of efficiency as the motivation. I just hope that this dose reconstructor really didn't understand that skin cancer is the result of the dose that can come from both beta, low energy and high energy photons. And to me it raises the flag are we dealing with a person that doesn't understand the nature of cause and effect involving a dose that should have been recorded strictly as a skin dose and go from there instead of trying to pull out a deep dose. Maybe he was under the impression that deep dose didn't contribute anything to the skin dose. I don't know. MR. HINNEFELD: I don't think that's the case. I think the case was he could have fewer lines on his IREP input sheet because he didn't have to enter and make any photon entries. End dose, end dose, IREP requires

1 a radiation type. And so a different line 2 entry for every radiation type, so if you 3 include the photon exposure to the skin in the dose reconstruction then you've doubled 4 5 the number of IREP input lines because you 6 need to put the photon entries in as well. 7 DR. H. BEHLING: I'll accept that as an 8 explanation. I think we can be --9 MR. HINNEFELD: It really doesn't matter. 10 We all agree it was a greater than 50 11 percent case. 12 DR. H. BEHLING: Okay, I'll accept that as 13 an explanation of efficiency. It just struck me odd that a skin dose wouldn't be 14 15 used since that --16 MR. HINNEFELD: Right, right, absolutely you 17 are correct. You are correct. 18 MS. MUNN: Do I understand --19 MR. HINNEFELD: Okay, Issue Number Two where 20 there was objection raised to the use of a 21 constant value in IREP for the beta dose as 22 opposed to the as opposed to a distribution, 23 a normal distribution, typically it's used 24 to measure (unintelligible) incorporate 25 distribution. This was an underestimate of

1 the skin dose. Since we didn't include the 2 photon contribution to the skin, we felt 3 like the dose was no lower than the value that was selected. And since that was the 5 case, the entire distribution would have 6 been higher than the value we entered. 7 Therefore, in this underestimating or 8 partial dose reconstruction, we can enter 9 the value of the constant and allow IREP to 10 sample that same value every time. 11 DR. BEHLING: Again here we're talking about 12 uncertainty, and I would have to say I would 13 not want to have to do this uncertainty even 14 if it was required. 15 This is Wanda. MS. MUNN: Stu, do I 16 understand you correctly that when we do 17 IREP that I will have to admit my 18 incompetence with respect to IREP? 19 to run a couple of them and discovered that 20 I was not yet ready for prime time. 21 I understand you correctly to say that IREP 22 requires a split out of the beta and gamma 23 dose? 24 MR. HINNEFELD: Right, IREP calls for 25 radiation types and for various radiation

1 types. 2 MS. MUNN: I see. So we don't really have 3 the option of just plugging in the DOE? 4 MR. HINNEFELD: No, not in general. 5 MS. MUNN: Okay, very good. There are two electron 6 MR. HINNEFELD: 7 energies. One is essentially only used for 8 tritium low energy electron which is 9 essentially only used for tritium exposures 10 and a high energy. There are three proton 11 energy ranges and there are five neutron 12 energy ranges. 13 MS. MUNN: Okay, I remember there are 14 several, but I didn't realize we didn't have 15 the option of just plugging in the number. 16 Thank you. 17 MR. HINNEFELD: I think I think if you get 18 right down to it I think maybe for high 19 energy electrons and photons there's a 30 to 20 250 keV, I think their radiation 21 effectiveness factor is the same in IREP for 22 those two, they're identical. So if you 23 actually lump those two together, you get 24 the same answer as if you split them apart

within the vagaries of Monte Carlo results.

25

-	Jan Sacrati Chay
2	PRESENTATION/DISCUSSION OF ISSUES FOR CASE #18
3	DR. H. BEHLING: Okay, I guess we can go to
4	Case 18, and that is a Fernald worker who
5	was employed between so he
6	was there for approximately 'years. He
7	worked in plants and
8	, not that I'm familiar with those. His
9	job description is a was that of a
10	. He had
11	two cancers, the first one was a cancer of
12	the lung and also multiple skin cancers.
13	And again this was a partial dose
14	reconstruction and the POC for this guy
15	based on an assigned dose of 66.4 rem
16	approximately was 57.4 percent, so again
17	this guy goes over the threshold of
18	compensability. There are a couple of
19	issues so Stu, introduce Issue One.
20	MR. HINNEFELD: Okay, Issue Number One
21	relates to the selection of a presumed
22	mixture of solubility types of 30 percent
23	Type S, or slow dissolution, and 70 percent
24	Type M, without documentation well, A),
25	since this is a partial dose reconstruction,

know typically when we do a partial or a greater than 50 percent POC, we kind of want to, we kind of write into the dose reconstruction that -- Well, it seems to be at least this high, the dose seems to be at least this high, and so since it's at least this high and it can only be higher, here's the here's the result that's greater than 50 percent, so we're done.

In this particular case, and in fact this was a common practice for Fernald lung cancer cases, there is -- there's several uncertainty in the various kinds of U308 and their solubility class. And their various numbers are cited different places, depending upon the treatment of the material. And there is various other, maybe not necessarily published, but conversational information, that's out there, so the actual -- It's unlikely that U308, that this would exist in most cases at a uranium plant is particularly pure in the solubility class, but doesn't necessarily fit one in particular. And so we felt like

1

-- saying it was Type M, which seems to be the more dominant discussed U30A*, normally it would be Type A to them, we weren't so comfortable saying that we are confident in saying that all uranium is Type -- all U308* is Type M, and therefore we will do dose reconstructions in accordance with that no matter what, and be able to defend that decision. We weren't terribly confident being able to defend that decision. And so we thought we ought to consider this some sort of mixture, and I gotta tell you, I don't know if we have a lot of empirical support for the particular mixture we chose. We felt that it was intuitively reasonable but other than that I don't know that I have a lot of support for it. I don't know how else you want to talk about I will say though that we are not required to make an underestimating dose reconstruction in order to have POC of 50 percent. It's not required. It's not required to do an underestimate. I think if you do an estimate then you feel like -- If you don't have confidence that you can

25

refine it further on a particular avenue, then you've probably done a suitable amount of work and you can go with what you've done and that's what we've chosen to do on these exposures, on this exposure type of case, is to do this 30/70 split, so I don't know what your guys' take on this --

DR. H. BEHLING: This is sounding very nitpicking and I admit that this is again part of our first case where we had to show that we know what we're talking about and we can put it in again, but the only word that I would take out is in a statement that says -- in the dose reconstruction report, additional assumptions were necessary in order to determine all the parameters required to complete the lung dose reconstruction, the employee's work history, da-da-da, and it goes on -- technical reference reports solubility components in some airborne contamination samples at Fernald to be greater than 60 percent NIOSH assumes a mix of 30 insoluble. percent Type S and 70 percent Type M in performing its dose reconstruction,

1 2 3 50 percent POC. 5 We're not supposed to be claimant favorable. 6 7 8 9 10 11 12 13 MR. HINNEFELD: Okay, well we'll be a little 14 15 16 17 18 19 20 21 22 23 nature of the comment. 24 25

considering this ratio to be claimant favorable. (Unintelligible) claimant favorable in context of a of a greater than

If you would struck those two words out I would say we're trying to minimize the dose and claimant favorability is is a paradox to that dose reconstruction of a partial dose. You don't do claimant favorability. If you would have struck those two words out I would have said forget it, you know.

more reserved with our use of that term, I quess. It's -- I mean in this case it was just a partial dose. I think the logic of the comment -- and I understand the logic of the comment. The logic of the comment is since you didn't even reconstruct a prior dose, the other dose, why are you emphasizing this claimant favorable on the partial that you did? I understand the

I think you would agree that had we done a dose reconstruction for this person, we had

1 -- It's all Type S (unintelligible) and it's 2 a dose drop down and it was less than 50 3 percent, you know, after we completed all 4 the dose components it was less than 50 5 percent. You would probably say we're not 6 so sure you guys have evidence to support 7 that. You would be telling us that if we 8 had used a hundred percent S. So we chose a 9 ratio, there is some air sampling data at 10 Fernald, or some solubility studies that 11 were done at Fernald, shows that there is in 12 many cases a relatively high insoluble 13 component -- they (unintelligible) 14 solubility studies -- it was a small study. 15 And so we felt like we chose reasonable 16 ratios for these type cases. That's what we 17 did. 18 DR. H. BEHLING: We will not be this nit-19 picking in the future. 20 MR. HINNEFELD: Write that down. 21 This was an exercise for the MS. MUNN: 22 first time through. 23 DR. H. BEHLING: It is and that was the 24 whole point, Wanda. We wanted to show that 25 we can do nit-picking stuff and --

1	MS. MUNN: We can pick any nit you give us
2	to pick.
3	DR. H. BEHLING: We wanted to show you, the
4	Board members, that we You're dealing
5	with a pretty competent group of people that
6	went far beyond the call of duty.
7	MS. MUNN: Well, well done.
8	Is this a good time for us to take a 10-
9	minute break?
10	DR. H. BEHLING: Yes.
11	MR. HINNEFELD: I just want to know, was
12	this 02? Was this issue the same as
13	DR. H. BEHLING: Yes, the same as one, the
14	same as one. I put that down, the issue two
15	the same as one. So let's conclude with
16	that particular case, and the next one will
17	be 19, after the break.
18	MR. HINNEFELD: After the break. All right,
19	how long are we going to break then?
20	DR. H. BEHLING: How about ten minutes? Is
21	that going to be all right, Ray, Wanda?
22	MS. MUNN: Fine for me.
23	MR. HINNEFELD: Ray?
24	COURT REPORTER: Yes, that's fine, thanks.
25	DR. H. BEHLING: All right, ten minutes.

(Whereupon, a ten-minute break ensued.) 1 (During the break Mr. Griffon departed.) 2 PRESENTATION/DISCUSSION OF ISSUES FOR CASE #19 DR. H. BEHLING: We're back on. Case 19, at Oak Ridge National Laboratory. The person 5 there was employed for a period between so we're talking about a 7 period of employment at the X-10 site, and his job description was : 9 The person has a cancer of the colon. 10 assigned dose was 26.3 rem, and most of 11 that, or it looks like about half of it, was 12 assigned dose from an internal hypothetical 13 model. The issues for this guy are -- How 14 many issues do we have? 15 MR. HINNEFELD: We made comments about two. 16 We made comments about two. 17 DR. H. BEHLING: Yeah, this is the 18 19 individual that I believe was reviewed by someone who must have been talking to Case 20 Number 16 because we're going to repeat some 21 of the same issues and hopefully make that 22 very, very brief because we discussed that 23 in behalf of Case 16. Okay, Issue One. 24 MR. HINNEFELD: Okay, Issue Number One is 25

25

that the reiterative issue with the exclusion of tritium. There was no tritium dose in the dose reconstruction, and our response is the approach that has been that unless there is evidence of tritium exposure, we don't automatically assign tritium to everyone. A tritium worker generally will have tritium bioassay. I believe we got a full record with this person, including, perhaps some bioassay records, annual samples or infrequent samples, but there was no tritium bioassay. Job position didn't really seem one that would be lending itself to tritium exposure, and so based on that our decision was not to incorporate tritium exposure in the dose reconstruction. Person worked in Oak Ridge National Laboratory.

DR. H. BEHLING: Okay, we concur with that but also realize that the security inspector he was probably at multiple sites. I don't know exactly what a security inspector necessary does, but I assume he would have potentially been subjected to just about every location on site. The particular site

25

where he worked does in fact have tritium, and on the basis of no records, which we would agree there are no records for this individual that he was monitored, but again without having the details as we know in behalf of Savannah River Site, five microcuries or less per liter were at times not recorded and again in concert with claimant favorability that was obviously afforded to people at the Savannah River Site where we also assigned up to 355 millirem a year for tritium doses, we felt perhaps a claimant favorability might be extended here. It's just a toss-up, there's no firm evidence, as Stuart has pointed out, to suggest he was exposed because of the absence of tritium data but because he was a security inspector, walked around and therefore has to probably been exposed to multiple locations and the practice of not necessary reporting urine data below five microcuries per liter raises the question of was he or wasn't he exposed in concert with the claimant favorability that was given to people at the Savannah River Site. In in in

this cases, Cases Six through Eleven, that we talked about yesterday, we felt there's a possibility that at least some consideration might have been given. It's a toss-up.

MR. HINNEFELD: Okay I -- Go ahead.

MR. GIBSON: This is Mike Gibson. Along with that I notice that there was no neutron dose considered, and given the fact that usually

make plant tours, I wonder why there was no neutron dose considered.

MR. HINNEFELD: I would say it's probably the person didn't have a neutron badge, so there were no zeroes probably in the record. I'm guessing 'cause I don't have the record in front of us. Generally if there's a neutron badge worn, unless it's a facility that hangs a neutron badge on everybody, but if there's a neutron badge worn, generally we'll do a neutron dose consideration, and without a neutron badge being worn that's probably why the decision was made not to include it. It is a fact that security inspectors are liable to be anywhere on the facility. That is true. I think there are

other -- This inspector did get the hypothetical TIB-2 intake, there's a very, what we consider a very large overestimating internal dose assignment made, so I think it's -- I can check the neutron question more at National Lab. My recollection is that Oak Ridge National Lab was pretty comprehensive in its monitoring program from pretty early on. But you can't necessarily say that about all the Oak Ridge sites or all the DOE sites in general, but Oak Ridge National Lab seems to have been pretty comprehensive from pretty early on. And so we felt like it was an okay decision for this site.

Okay, the second issue was the same as before. We talked about the significant overestimate of medical exposure based on the selection of an organ, a maximizing organ dose, as opposed to an actual target organ dose. So we've kind of talked about that ad infinitum.

And those are the only two comments that we talk about, only two issues that we made comment on. So if there were other aspects

of the claim for discussion, I don't know what they would be.

MR. GIBSON: This is Mike Gibson. I have one other question. I believe this was a survivor claim, and there were several people listed as coworkers to follow up with, and it's not apparent that there was any follow-up done, either by phone or in person, with these coworkers who could maybe shed more light on this case. If that's the case why was that not done?

MR. HINNEFELD: Well, the coworker follow-up usually is done when there doesn't -there's evidence in the file or there's
information that we feel we need to pursue
further. It's not -- you know, we don't as
a routine matter, call all the coworkers
identified during the claimant interview.
That's not part of the routine process. So
while the claimant is asked during the
interview are there people who work with you
or worked with your, the interviewed
employee, and may get some names of people
like that, it's not a standard practice to
call these people if the records seem

25

complete and the case seems like it's a pretty solid case with the information available. Now, you know, whether that's, you know that's the approach we're working Now certainly there can be some discussion of that in the Board, or among the Board, however you want to have that discussion. I think from our standpoint that's kind of the practice we've adopted, and the dose reconstruction was kind of consistent with that, what we've done. MS. MUNN: This is Wanda. It was my understanding that that coworker data would be pursued primarily when there was lack of badge data or no real monitoring data and when there were circumstances where the job practice for that site was not well known. I don't think that's the case at X-10. MR. HINNEFELD: Yeah, that's pretty much the way we're behaving. I think the issue here is on this claimant interview there probably are some coworkers asked -- or the claimant is asked do you know of any coworkers of the interviewed employee, and so some names are provided. But you know as you said with a

fairly complete, or a complete record or a feeling that there's sufficient information available with what we have in hand, it's not our standard practice to contact all those identified coworkers from all those interviews. Good, bad or indifferent, that's our standard practice.

MS. K. BEHLING: This is Kathy Behling. I have another question, and I think we did bring up this coworker issue yesterday because we hadn't seen any (unintelligible) where a coworker has been contacted. Would that be the dose reconstructor that would actually contact that coworker? Or how does that process work?

MR. HINNEFELD: Well, the dose reconstructor would not make the contact. The dose reconstructor can decide how -- for this case there are questions here that are not answered by the information available and maybe these coworkers who are identified can shed some light on it. They may make that decision. The contact would be made by the claimant interviewers --

MS. K. BEHLING: Okay --

MR. HINNEFELD: -- who conduct essentially all the interviews. Now a health physicist may sit in to facilitate that interview, to make sure the questions are appropriately phrased and appropriately you know and that the answers are appropriately understood, but it would typically not be the actual dose reconstructor working the case.

MS. K. BEHLING: Can you give me an idea at this point in time how many coworkers, or how many cases, you've actually contacted the coworkers?

MR. HINNEFELD: It's a few, it's not a lot.

I don't know if it's as many as ten or not.

I don't keep that statistic, so I don't know. I know there are a few that we have called the coworkers listed on the interviews.

MR. GIBSON: This is Mike Gibson, again. I guess I just want to follow up by saying that in the absence of knowing whether or not that the security inspectors do in fact wear TLDs or some sort of dosimeter, this may have been an appropriate case to contact some of the coworkers, given the fact that

1 the survivor may not have known the 2 information. 3 MR. HINNEFELD: That's true. My 4 recollection is we got an exposure record 5 back for this person. I mean we had their film badge or TLD record I thought. 6 7 be picking kind of from memory here, but I 8 don't recall for sure. 9 DR. H. BEHLING: His photon dose was zero. 10 MR. HINNEFELD: It says zero reported. 11 Okay, zero reported so apparently it was 12 monitored. We did get the record because we 13 have a missed dose component in there, so we 14 did get his monitoring record from the 15 Department of Energy and he did wear a film 16 badge or a TLD. 17 DR. H. BEHLING: For this person, Wanda, we 18 assigned a dose as you can see on the face 19 page for Case 19. We assigned 21.363 rem 20 for missed photon dose which covers a 20-21 year period. So he was clearly monitored 22 throughout that whole period of time but 23 never had a reportable exposure. 24 MS. MUNN: Yes, I was fairly certain that X-10 would be well-monitored. 25

MR. HINNEFELD: And then Issue Two, we did, 1 2 was the one we already, okay. I think that concludes what we have for Case 19. PRESENTATION/DISCUSSION OF ISSUES FOR CASE #20 DR. H. BEHLING: Yes. Okay, Case Number 20, 5 which is our last one now. It's at Y-12, 6 and this person was employed since 7 as far as I know he may still be working 8 9 there so he's been there for a period of --MS. MUNN: Almost 10 years. -some-odd years. 11 DR. H. BEHLING: cancer, however, was diagnosed in 12 we have a -year period for assessing his 13 exposure since we only assess exposure up to 14 the time of cancer diagnosis, which was 15 The individual has a prostate cancer, 16 and based on a dose of 15.8 rem, most of 17 which was hypothetical internal exposure of 18 the 15, 12 -- well in excess of 12 rem was 19 hypothetical internal the POC of 10.26 was 20 21 derived. Okay, Issue Number One, Stuart. 22 23 MR. HINNEFELD: Issue Number One is that there's a description in the dose 24 reconstruction of the surrogate organ that's 25